




LYALL ANODELESS SERVICE RISERS (ASR)



LYALL ANODELESS SERVICE RISERS (ASR), RIGID PREBENT						
SIZE	X	Plastic	Vert. "V"	Horz. "H"	PE "C"	ASR Product Code
1/2" NPT X 1/2 CTS		.090	30"	15"	10"	250031030361 †‡
1/2" NPT X 1/2 CTS		.090	22"	15"	10"	250031030362 †‡
3/4" NPT X 1/2 CTS		.090	24"	16"	10"	261050630120 †‡
3/4" NPT X 1/2 CTS		.090	30"	16"	10"	261050630130 †‡
3/4" NPT X 1/2 IPS SDR 9.3			24"	16"	10"	241050840520 †‡
3/4" NPT X 1/2 IPS SDR 9.3			30"	16"	10"	241050840530 †‡
3/4" NPT X 3/4 IPS SDR 11			24"	16"	10"	241051050820 †‡
3/4" NPT X 3/4 IPS SDR 11			30"	16"	10"	241051050830 †‡
3/4" NPT X 3/4 IPS SDR 11			36"	16"	10"	241051050850 †‡
3/4" NPT X 1 CTS .099/.102			30"	16"	10"	241051130930 †‡
1" NPT X 1 IPS SDR 11			24"	16"	10"	241321320820 †‡
1" NPT X 1 IPS SDR 11			30"	16"	10"	241321320830 †‡
1" NPT X 1 IPS SDR 11			36"	16"	10"	241321320850 †‡
1-1/4" NPT X 1-1/4 IPS SDR 11			36"	22"	10"	241661660760 †‡
1-1/2" NPT X 1-1/2 IPS SDR 11			36"	26"	10"	241901900860 †‡
2" NPT X 2 IPS SDR 11			36"	30"	10"	242382380840 †‡

The part numbers above reflect the use of medium density PE pipe (PE2406/PE2708); please contact your Lyall representative for other choices.

For sizes not listed, contact R.W. Lyall & Company or Mechanical Specialties, a division of Lyall.

† = CSA Approved / ‡ = IAPMO/UPC Listed

CUSTOMER SERVICE: (800) 535-9255 • Web site: www.rwlyall.com


The products listed on this page only represent the most commonly used sizes and configurations. Please contact your local Lyall representative or a Lyall Customer Service representative for additional sizes, customized configurations and available options.



LYALL ANODELESS SERVICE RISERS COMMERCIAL / INDUSTRIAL SIZES


THREADED STEEL END						
Steel	PE Pipe	Style	Vert "V"	PE	ASR Product Code	
2" NPT	x 2 IPS SDR 11	90° Elbow	30"	12"	255000820000	†‡
3" NPT	x 3 IPS SDR 11.5	Straight	30"	---	243503500900	‡
3" NPT	x 3 IPS SDR 11.5	90° Elbow	30"	12"	243503500910	‡
4" NPT	x 4 IPS SDR 11.5	Straight	30"	---	244504500900	‡
4" NPT	x 4 IPS SDR 11.5	90° Elbow	36"	12"	244504500910	‡

The part numbers above reflect the use of medium density PE pipe (PE2406/PE2708); please contact your Lyall representative for other choices. The Risers listed above do not include a support stake.




WELD END						
Steel	x PE Pipe	Style	Vert "V"	PE	STDLY Product Code	
2 IPS	x 2 IPS SDR 11	90° Elbow	40"	12"	STDLY200BVT	‡
3 IPS	x 3 IPS SDR11/11.5	90° Elbow	40"	12"	STDLY300BVT	‡
4 IPS	x 4 IPS SDR11/11.5	90° Elbow	40"	12"	STDLY400BVT	‡
6 IPS	x 6 IPS SDR11/11.5	90° Elbow	42"	12"	STDLY600BVT	

The part numbers above reflect the use of medium density PE pipe (PE2406/PE2708); please contact your Lyall representative for other choices. The STDLY Risers listed above includes a support stake.



FLAT FACED / RAISED FACE FLANGE END						
Steel	x PE Pipe	Wall Thickness	Vert "V"	PE	STDLY Product Code	
3" Flat Face	x 3 IPS SDR11/11.5		39"	12"	STDLY300TFF	
6" Flat Face	x 6 IPS SDR11/11.5		39"	12"	STDLY600TFF	
3" Raised Face	x 3 IPS SDR11/11.5		39"	12"	STDLY300TRF	
4" Raised Face	x 4 IPS SDR11/11.5		39"	12"	STDLY400TRF	
6" Raised Face	x 6 IPS SDR11/11.5		39"	12"	STDLY600TRF	

The part numbers above reflect the use of medium density PE pipe (PE2406/PE2708); please contact your Lyall representative for other choices. The STDLY Risers listed above includes a support stake.



For sizes or Options not listed, contact R.W. Lyall & Company or Mechanical Specialties, a division of Lyall.


† = CSA Approved / ‡ = IAPMO/UPC Listed

CUSTOMER SERVICE: (800) 535-9255 • Web site: www.rwlyall.com

The products listed on this page only represent the most commonly used sizes and configurations. Please contact your local Lyall representative or a Lyall Customer Service representative for additional sizes, customized configurations and available options.



LYALL FLEXIBLE SERVICE RISERS (STDLY)




ANODELESS SERVICE RISERS (STDLY), FLEXIBLE					
SIZE		Steel Length	Flex Length	Product Code	
Steel	Plastic				
3/4" NPT	X 1/2 CTS .090	22"	36"	STDLY060010FX-T	†‡
3/4" NPT	X 1/2 IPS 9.3	22"	36"	STDLY060050FX-T	‡
3/4" NPT	X 3/4 IPS 11.0	23"	36"	STDLY060060FX-T	†‡
1" NPT	X 3/4 IPS 11.0	23"	36"	STDLY070060FX-T	

The part numbers above reflect the use of medium density PE pipe (PE2406/PE2708); please contact your Lyall representative for other choices.


For sizes not listed, contact R.W. Lyall & Company or Mechanical Specialties, a division of Lyall.

Recommended accessories: Lyall Riser Wall Brackets or Support Stakes, Protector Sleeves, and Tracer Wire

† = CSA Approved / ‡ = IAPMO/UPC Listed



Lyall Riser Wall Brackets



Lyall Riser Support Stakes

CUSTOMER SERVICE: (800) 535-9255 • Web site: www.rwlyall.com

The products listed on this page only represent the most commonly used sizes and configurations. Please contact your local Lyall representative or a Lyall Customer Service representative for additional sizes, customized configurations and available options.